

**DR. JAMES C. SALATO WILDLIFE EDUCATION CENTER
NATIVE PLANT PROGRAM**

2007 Fall Sale

Saturday, August 25, 2007

Kentucky Department of Fish and Wildlife Resources

#1 Sportsman's Lane

Frankfort KY 40601

(502) 564-7863 or (800) 858-1549

All Plants \$5.00 and \$6.00

NATIVE PERENNIALS

___ Agave (<i>Agave virginiana</i>)	3-4'	succulent leaves, green flowers in summer, drought tolerant, full sun
___ Alumroot, Hairy (<i>Heuchera villosa</i>)	1-3'	greenish bell-shaped flowers on a stalk in summer, moist soil, partial sun
___ Aster*, Aromatic (<i>Aster oblongifolius</i>)	2-3'	blue flowers with yellow centers in fall, full or partial sun, drought tolerant
___ Aster, Arrow-leaved (<i>Aster sagittiflorus</i>)	3'	blue flowers, fall, large arrow-shaped leaves, partial shade, moist soil
___ Aster, Calico (<i>Aster laterifolius</i>)	3-4'	small white flowers in autumn, full sun, average soil
___ Aster, Crooked-stemmed (<i>Aster prenanthoides</i>)	1-2'	wide lavender flowers in autumn, full to partial sun, moist to wet soil
___ Aster, New England (<i>Aster novae-angliae</i>)	3-5'	large showy purple flowers, late bloomer, full sun, well-drained soil
___ Aster, Short's (<i>Aster shortii</i>)	2-3'	deep violet-blue flowers in fall, shade to partial shade, well-drained soil
___ Aster, Sky Blue (<i>Aster azureus</i>)	2-4'	blue flowers, fall, branching plant, drought tolerant, clay soils, full sun, birds, butterflies
___ Aster, Western Silky (<i>Aster sericeus</i>)	12"	pink-purple on slender stems, fall, soft silvery leaves, well-drained soil, rock gardens
___ Aster, Willow (<i>Aster praealtus</i>)	3-5'	lavender, late summer-fall, full sun, moist soil, wet prairies
___ Beardtongue, Small's (<i>Penstemon smallii</i>)	1-2'	pink, early summer, dense spikes, avg. to rich, well-drained soil, sun to partial, birds, butterflies 🐦 🦋
___ Beardtongue, Smooth (<i>Penstemon digitalis</i>)	3-4'	white, elegant plant, large basal leaves, early source of nectar, well-drained soil, sun to partial sun 🐦 🦋
___ Bell Flower, American (<i>Campanula americana</i>)	2-6'	biennial, blue spikes, July to frost, average-moist soil, partial sun
___ Bergamot, Wild (<i>Monarda fistulosa</i>)	3-5'	lavender flowers, June, drought tolerant, partial sun, hummingbird, moths
___ Blazing Star, Button (<i>Liatris squarrosa</i>)	2-3'	feathery pink flowers on erect stems, Aug-Oct., average to dry soil, full sun, butterflies, hummers 🐦
___ Blazing Star, Cylindrical (<i>Liatris cylindracea</i>)	1-2'	pink feathery flowers, dainty, July-Sept., avg. to dry, well-drained soil, drought tolerant, rock garden, full sun
___ Blazing Star, Rough (<i>Liatris aspera</i>)	3-5'	pink-purple button-shaped flower clusters, Aug-Oct, full sun, average to dry soil, hummers, butterflies 🐦 🦋
___ Blazing Star, Southern (<i>Liatris squarrolosa</i>)	2-4'	pink-purple flowers in multiple clusters, fall, full sun, dry soil, butterflies, hummers 🐦 🦋
___ Blue-eyed grass (<i>Sisyrinchium angustifolium</i>)	6-18"	iris family with grass-like leaves, blue flowers, May-July, well drained soil, sun to partial shade
___ Blue Star (<i>Amsonia tabernaemontana</i>)	3-4'	blue star- shaped flowers, late spring, full or partial sun, moist soil
___ Bradbury's Monarda (<i>Monarda bradburnia</i>)	2-3'	light pink blooms, May, full to partial sun, drought-tolerant, hummingbirds, moths 🐦 🦋

* All species of asters and goldenrods attract butterflies, hummingbirds, and birds. 🐦 🦋 🌱

🌱 = BIRDS 🐦 = HUMMINGBIRDS 🦋 = BUTTERFLIES

Boltonia (<i>Boltonia asteroides</i>)	2-6'	white disk flowers, Sep-Oct, tolerates wide range of soil and moisture
Boneset (<i>Eupatorium perfoliatum</i>)	3-5'	white, August, sunny wet ground, butterflies ☼
Cactus, Prickly Pear (<i>Opuntia humifusa</i>)	2'	showy yellow flowers, summer, fleshy flattened stems and spiny leaves, sandy soil, full sun
Cardinal Flower (<i>Lobelia cardinalis</i>)	3-4'	red tubular flowers, Aug, partial to full sun, prefers moist soil, hummingbirds 🐦
Clover, Purple Prairie (<i>Dalea purpurea</i>)	2'	purple, mid-summer, full sun, well drained soil, birds and butterflies ☼ 🌿
Columbine, Wild (<i>Aquilegia canadensis</i>)	1-2'	red and yellow flowers in spring, hummingbirds, well-drained loam, shade or partial sun 🐦
Compass Plant (<i>Silphium laciniatum</i>)	7-8'	yellow flowers, July-Sept., huge deeply lobed leaves, tall-grass prairie plant, drought tolerant
Coneflower, Orange (<i>Rudbeckia fulgida</i>)	3-4'	yellow, August, well drained soil, full sun, birds, butterflies ☼ 🌿
Coneflower, Pale Purple (<i>Echinacea pallida</i>)	3-4'	pink flowers, June, drought tolerant, full sun, hummingbirds, birds, butterflies 🐦 ☼ 🌿
Coneflower, Purple (<i>Echinacea purpurea</i>)	3-4'	deep pink, June, well-drained loam, high medicinal, full to partial sun, hummers, birds, butterflies 🐦 ☼ 🌿
Coneflower, Yellow (<i>Ratibida pinnata</i>)	4-5'	yellow, June, well-drained soil, drought tolerant, sun, birds, butterflies 🌿 ☼
Coreopsis, Tall (<i>Coreopsis tripteris</i>)	6-8'	large yellow flowers, Jul-Aug, well-drained soil, drought tolerant, sun, hummingbirds, birds, butterflies 🐦 ☼
Cup Plant (<i>Silphium perfoliatum</i>)	4-5'	yellow, summer; cup-shaped leaves make natural watering trough, large plant, full sun, drought tolerant 🐦 ☼
Dock Prairie (<i>Silphium terebinthinaceum</i>)	6-8'	yellow, heart-shaped basal leaves, Jul-Sept., drought tolerant, full sun, birds, butterflies
Gaura (<i>Gaura biennis</i>)	4-5'	pink-white tubular flowers, summer, dry, rocky soil, full sun
Goatsbeard (<i>Aruncus dioicus</i>)	3-5'	astilbe-like ivory flowers, Jun-Jul, great for woodland garden, well-drained loam, full shade
Golden Ragwort (<i>Senecio aureus</i>)	1-1.5'	yellow flower, early spring, well-drained soil, partial sun
*Goldenrod, Elm-leaved (<i>Solidago ulmifolia</i>)	3-4'	yellow sprays of flowers in fall, full sun, average to dry soil
Goldenrod, Rigid (<i>Solidago rigida</i>)	3-4'	yellow clusters of flowers in fall, well-drained soil, drought tolerant, birds, butterflies ☼ 🌿
Goldenrod, Rough-leaved (<i>Solidago rugosa</i>)	2-6'	yellow sprays, September, sun, tolerates a wide range of soils, butterflies, birds ☼ 🌿
Illinois Bundleflower (<i>Desmanthus illinoensis</i>)	2-3'	greenish-white flowers in summer, twirled clusters of seeds in fall, sun, dry soil
Indian Physic (<i>Gillenia stipulata</i>)	2-3'	many sm. white to pale pink flowers on ends of branches, May-July, dry or moist soils, shade
Indigo, Wild Blue (<i>Baptisia australis</i>)	3-4'	blue spikes of flowers, May-June, legume, sun, partial shade, moist soil
Indigo, Wild White (<i>Baptisia alba</i>)	3-5'	similar to blue, slower to establish, June-July, moist soil, hummingbirds, butterflies 🐦 ☼
Iris, Copper (<i>Iris fulva</i>)	2-3'	showy copper flowers, June-July, moist to wet soil, sun to partial sun, hummers, birds 🐦 🌿
Jerusalem Arterchoke (<i>Helianthus tuberosus</i>)	4-10'	yellow flowers, late summer, leaves rough and hairy, moist soil, full sun, roots edible
Joe-Pye Weed (<i>Eupatorium purpureum</i>)	4-8'	mauve clusters, July-Sept, moist to wet soil, sun to partial sun, butterflies ☼
Lead Plant (<i>Amporpha canescens</i>)	3'	purple flowers, mimosa-like leaves, summer, dry to wet prairies, full sun
Lobelia, Great Blue (<i>Lobelia siphilitica</i>)	3-4'	blue tubular flowers, Aug., average to moist soil, full to partial sun
Loosestrife, Wing-angled (<i>Lythrum alatum</i>)	1-3'	pink flowers at base of leaves, summer, sun to partial shade, wet soils
Meadow Rue, Tall (<i>Thalictrum polygamum</i>)	3-7'	billowy masses of white flowers, late summer, partial shade, well-drained to damp soils
Milkweed, Butterfly (<i>Asclepias tuberosa</i>)	1-4'	large orange clusters, June-July, well-drained soil, drought tolerant, clay soils, butterflies, hummers 🐦 ☼
Milkweed, Common (<i>Asclepias syriaca</i>)	3-5'	large clusters of rose-purple flowers, June-Aug., well-drained soils, full to partial sun 🐦 ☼
Milkweed, Ozark (<i>Asclepias viridis</i>)	2-3'	large clusters of light green flowers, May-July, dry, poor to avg. soil, full to part sun, butterflies, hummers 🐦 ☼
Milkweed, Purple (<i>Asclepias purpurea</i>)	2-3'	rose to purple flowers, May-Jul, sun to partial sun, moist soil but adapts to garden soil, butterflies, hummers 🐦 ☼
Milkweed, Swamp (<i>Asclepias incarnata</i>)	3-5'	pink clusters, Jul-Sept, full-pt sun, moist soil, but adapts to garden soil, butterflies, hummers 🐦 ☼
Milkweed, Whorled (<i>Asclepias verticillata</i>)	1-2'	green, June-Sept., soft-needle-like leaves, avg. garden soil, full sun, butterflies, birds 🐦 ☼
Meehanian (<i>Meehanian cordata</i>)	3-8"	blue, pink, spring, trails along ground, spring, partial sun, moist soil
Mint, Slender Mountain (<i>P.tenuifolium</i>)	2-3'	white flowers, summer, sun, average soil, butterflies ☼
Mint, Downy Wood (<i>Blephilia ciliata</i>)	1-1.5'	purple, fuzzy basal leaves, early summer, nice ground cover, well-drained soil, butterflies ☼

_____ Mistflower (<i>Eupatorium coelestinum</i>)	3'	blue-violet, July, average to wet soil, full to partial sun, butterflies 🦋
_____ Monkeyflower (<i>Mimulus alatus</i>)	1'	blue-violet w/ yellow centers, June-Sept, flood-tolerant, part-full shade, birds and hummers 🐦 🦋
_____ Nodding Wild Onion (<i>Allium cernuum</i>)	1-2'	pink dangling flowers, narrow July-Aug., grass-like leaves, well-drained soil, full to partial sun, butterflies 🦋
_____ Obedient Plant (<i>Physostegia virginiana</i>)	3-4'	pink, Aug, moist to dry soil, full sun, birds, butterflies, hummers 🐦 🦋 🦋
_____ Poppy Mallow, Purple (<i>Callirhoe involucrata</i>)	1'	fuschia blooms, June-Aug., good full sun ground cover, spreads well, well-drained soil
_____ Primrose, Missouri (<i>Oenothera missouriense</i>)	1'	large yellow flowers in summer, good border plant, average soil, butterflies, hummingbirds 🐦 🦋
_____ Primrose, Showy (<i>Oenothera speciosa</i>)	1'	large pink flowers spring through summer, full sun, good bank stabilizer, butterflies 🦋
_____ Quinine, Wild (<i>Parthenium integrifolium</i>)	3-4'	white flower clusters in summer, sun, well-drained soil
_____ Rattlesnake Master (<i>Eryngium yuccifolium</i>)	3-4'	yucca-like foliage, green flowers in summer, full sun, drought tolerant, butterflies, hummingbirds 🐦 🦋
_____ Rose Mallow (<i>Hibiscus moscheutos</i>)	4-5'	large funnel-shaped white flowers, mid-summer, full-part sun, avg. to wet soil, hummingbirds, butterflies 🐦 🦋
_____ Rosinweed (<i>Silphium integrifolium</i>)	3-5'	yellow, July-Sept., well-drained soil, adapted to clay soils, full sun, birds, butterflies 🦋 🦋
_____ Royal Catchfly (<i>Selene regia</i>)	3-4'	red flowers, Jul-Aug, leaves mostly basal, full sun, well-drained soil, hummers 🐦
_____ Sage, Blue (<i>Salvia azurea</i>)	3-5'	blue 2-lipped flowers, July, well-drained soil, hummingbirds, butterflies 🐦 🦋
_____ Seedbox (<i>Ludwigia palustris</i>)	3-4'	small yellow flowers in summer, small seed rattles in fall, full to partial sun, prefers moist soil
_____ Senna, Wild (<i>Cassia marilandica</i>)	3-5'	yellow flowers, late summer, full sun, avg. soil, birds, hummingbirds, butterflies 🐦 🦋
_____ Skullcap, Downy (<i>Skutellaria incana</i>)	2-3'	blue flowers, June-Aug., sun to partial sun, average soil
_____ Sneezeweed, autumn (<i>Helenium autumnale</i>)	3'	yellow daisy-like petals with yellow centers, Sept-Oct., full sun, mesic to wet soil, butterflies 🦋
_____ Spurge, Flowering (<i>Euphorbia corollata</i>)	2-3'	white, numerous small, resembles baby's breath, July-Aug., avg. to dry, well-drained soil, full sun
_____ Strawberry, Wild (<i>Fragaria virginiana</i>)	6"	white flowers, spring, edible berries trailing habit, well-drained soil, sun to partial, good wildlife food
_____ Sunflower, Ox-eye (<i>Heliopsis helianthoides</i>)	3-4'	yellow, June-Sept, full to partial sun, well-drained loam, long blooming period 🐦 🦋
_____ Susan, Black-eyed (<i>Rudbeckia hirta</i>)	3'	yellow with dark centers, fuzzy leaves, June-Aug., well-drained soil, full to partial sun 🐦 🦋
_____ Susan, Sweet (<i>Rudbeckia subtomentosa</i>)	4'	yellow, July-Sept., sun to partial shade, well drained soil, birds, butterflies 🦋 🦋
_____ Thimbleflower (<i>Anemone virginiana</i>)	3-4'	white flowers, June, well-drained soil, sun to partial sun, butterflies 🦋
_____ Turtlehead (<i>Chelone glabra</i>)	3-4'	white-to pink, Aug-Oct, avg. garden soil, shade to partial shade, butterflies, hummers 🐦 🦋

NATIVE TREES/SHRUBS

_____ Buckthorn, Carolina (<i>Rhamnus caroliniana</i>)	10-20'	yellow blossom in June, glossy foliage, red berries, tolerates clay, full to part shade
_____ Buttonbush (<i>Cephalanthus occidentalis</i>)	5-5.5'	multi-stemmed shrub, white spherical flower heads, summer, partial sun, moist to wet soils
_____ Crossvine (<i>Bignonia capreolata</i>)	vine	red and yellow tube-shaped flowers, May, bifoliate leaves, high climbing, shade, hummers 🐦
_____ Hearts Bursting with Love (<i>Euonymus americanus</i>)	shrub	understory shrub with showy drooping pinkish fruits, fall, moist, well-drained organic soil
_____ Indigo Bush (<i>Amorpha fruticosa</i>)	8-12'	shrubby plant with spikes of purple flowers, summer, full sun, moist to wet soil
_____ New Jersey Tea (<i>Ceanothus americanus</i>)	2-3'	white flowers, spring, compact shrub, well-drained loam, sun to partial shade, 13 species of butterflies
_____ Passionflower vine (<i>Passiflora incarnate</i>)	vine	beautiful flowers, non aggressive vine, late summer, poor soil, full to partial sun
_____ Pawpaw (<i>Asimina triloba</i>)	10-35'	red-brown flowers, July, sm. understory tree, avg. to moist well-drained soil, shade to partial
_____ Persimmon (<i>Diospyros virginiana</i>)	50-75'	medium canopy tree, full sun, fleshy edible fruits, fall, and great wildlife value
_____ Trumpetvine (<i>Campsis radicans</i>)	vine	reddish orange trumpet-shaped flowers, July-September, average soil, hummers 🐦

NATIVE WARM SEASON GRASSES ****

_____ Beakgrass (<i>Diarrhena americana</i>)	1-3'	sun, shade, med to dry soil
_____ Blue Wood Sedge (<i>Carex flaccosperma</i>)	6-10"	blue to blue-green leaves, full to partial shade, drought tolerant
_____ Bluestem, Big (<i>Andropogon gerardi</i>)	3-6'	ornamental bunch grass, sun, nice winter color
_____ Bluestem, Little (<i>Schizachyrium scoparium</i>)	3'	attractive bunch grass with silvery flower heads and russet fall color
_____ Bottlebrush Grass (<i>Hysterix patula</i>)	2-4'	long-bristled flower spikelets, June-Aug., shade to partial shade
_____ Brown Fox Sedge (<i>Carex vulpinoidea</i>)	2-3'	hardy sedge for moist-wet soils, full to partial sun, small brown and green flowers, birds 🐦
_____ Dark Green Bulrush (<i>Scirpus atrovirens</i>)	3-5'	large sedge, rounded dark green-brown flower clusters, moist-wet soils, shallow water
_____ Eastern Gamma Grass (<i>Tripsacum dactyloides</i>)	6'	large coarse grass, sun to partial sun, moist soils
_____ Fringed sedge (<i>Carex crinita</i>)	2-5'	June, moist to wet soil, sun to partial sun, birds 🐦
_____ Indian Grass (<i>Sorghastrum nutans</i>)	5-6'	bunch grass with tall seed head, russet fall color, good wildlife cover
_____ June Grass (<i>Koeleria cristata</i>)	2'	short, slender grass for landscaping in masses, part-full sun, blooms early
_____ Melic Grass (<i>Melica nitens</i>)	2'	good landscaping grass, full to partial sun, normal soil
_____ River Oats (<i>Chasmanthium latifolium</i>)	2-3'	arching stems with flattened florets, moist soil, partial sun, drought tolerant, nice landscaping plant
_____ Sallow Sedge (<i>Carex lurida</i>)	2-5'	June, moist to wet soils, sun- partial sun, birds 🐦
_____ Switchgrass (<i>Panicum virgatum</i>)	3-5'	graceful seed heads, grows in clumps, dry to moist soil, sun, birds 🐦
_____ Virginia Wild Rye (<i>Elymus virginicus</i>)	2-4'	blue green seed heads, sun-partial shade, sandy to wet soils

****All of the native warm season grasses provide wonderful food and cover for wildlife and good winter landscaping interest for any yard or garden